

# PI TAPE USA



## 1095 Spring Steel Outside Diameter Tape

Pi Tape Texas, LLC's 1095 spring steel diameter measuring tapes are delivered with a Calibration Report traceable to the National Institute of Standards and Technology.

Our Spring Steel tapes are suitable for use with all materials and in non-corrosive environments.

## 716 Stainless Steel Outside Diameter Tape

Pi Tape Texas, LLC's 716 Stainless Steel tapes are manufactured the same exacting standards as our Spring Steel tapes. They are delivered with a Calibration Report traceable to the National Institute of Standards and Technology.

Our 716 Stainless Steel tapes are suitable for use with all materials and in corrosive environments.

Larger sizes available upon request.

## Blue Easy to Read Outside Diameter Tape

Pi Tape brand Blue Easy to Read tapes are constructed of 1095 Spring Steel and are intended for use in low-light environments. They differ from our standard tapes by featuring a higher contrast facing of white lines and numerals on a dark blue background. They are delivered with a Calibration Report traceable to the National Institute of Standards and Technology.

The Blue Easy to Read tapes are best used for measuring diameters in low-light environments. They are not intended for use with chemicals or in corrosive environments.

Larger sizes available upon request.

Part #	Diameter	Gage	Thickness	Body Width
PM000	15mm - 50mm	6.35mm	0.18mm	12.7mm
PM0	28mm - 200mm	6.35mm	0.18mm	12.7mm
PM02	28mm - 300mm	6.35mm	0.18mm	12.7mm
PM03	50mm - 300mm	6.35mm	0.25mm	12.7mm
PM1	100mm - 300mm	6.35mm	0.25mm	12.7mm
PM1SP	50mm - 600mm	6.35mm	0.25mm	12.7mm
PM2	300mm - 600mm	6.35mm	0.25mm	12.7mm
PM2SP	300mm - 900mm	6.35mm	0.25mm	12.7mm
PM3	600mm - 900mm	6.35mm	0.25mm	12.7mm
PM3SP	600mm - 1200mm	6.35mm	0.25mm	12.7mm

<b>Part #</b>	<b>Diameter</b>	<b>Gage</b>	<b>Thickness</b>	<b>Body Width</b>
PM4	900mm - 1200mm	6.35mm	0.25mm	12.7mm
PM5	1200mm - 1500mm	6.35mm	0.25mm	12.7mm
PM6	1500mm - 1800mm	6.35mm	0.25mm	12.7mm
PM7	1800mm - 2100mm	6.35mm	0.25mm	12.7mm
PM8	2100mm - 2400mm	6.35mm	0.25mm	12.7mm
PM9	2400mm - 2700mm	6.35mm	0.25mm	12.7mm
PM10	2700mm - 3000mm	6.35mm	0.25mm	12.7mm
PM11	3000mm - 3300mm	6.35mm	0.25mm	12.7mm
PM12	3300mm - 3600mm	6.35mm	0.25mm	12.7mm